



ST LUCIE COUNTY ROOFING PERMIT INFORMATION SHEET

Florida Building Code 7th Edition (2020) Based on Section 1525 of the Florida Building Code - Building INSTRUCTION PAGE

COMPLETE THE NECESSARY SECTIONS OF THE UNIFORM ROOFING SHEET APPLICATION FORM AND ATTACH THE REQUIRED DOCUMENTS AS NOTED BELOW:

Roof System	Required Sections of the Permit Application Form	Attachments Required See List Below		
Low Slope Application	A, B, C	1,2,3,4,5,6,7		
Prescriptive BUR-RAS 150	A, B, C	2,4,5,6,7		
Asphaltic Shingles	A, B, D	1,2,4,5,6,7		
Concrete or Clay Tile	A, B, D, E	1,2,3,4,5,6,7		
Metal Roofs	A, B, D	1,2,3,4,5,6,7		
Wood Shingles and	A, B, D	1,2,4,5,6,7		
Shakes				
Other	As Applicable	1,2,3,4,5,6,7		

ATTACHMENTS REQUIRED As Applicable):

1.	Fire Directory Listing Page
2.	From Product Approval:
	Front Page
	Specific System Description
	Specific System Limitations
	General Limitations
	Applicable Detail Drawings
3.	Design Calculations per Chapter 16, or if applicable, RAS 127 or RAS 128
4.	Other Component of Product Approval
5.	Municipal Permit Application
6.	Owners Notification for Roofing Considerations (Reroofing Only)
7.	Any Required Roof Testing/Calculation Documentation

Section A (General Information)

Master Permit No			Process No.			
Contractors Name	e:	License #				
Job Address						
		ROOF CATEGORY				
Low Slope		Mechanically Fastened Tile	e 🗖 Mortar/	Mortar/Adhesive Set Tiles		
Asphaltic Shing	gles	Metal Panel/Shingles	□ Wood Sh	Wood Shingles/Shakes		
		Prescriptive BUR-RAS ROOF ROOF TYP	150 E.			
New roof	Repair	Maintenance	Reroofing	Recovering		
		. ROOF SYSTEM INFORMATIO	N			
Low Slope Roof A	rea (SF)	Steep Sloped Roof Area (SF)		Total (SF)		

Section B (Roof Plan)

Sketch Roof Plan: Illustrate all levels and sections, roof drains, scuppers, overflow scuppers and overflow drains. Include dimensions of sections and levels, clearly identify dimensions of elevated pressure zones and location of parapets.

											0			
,														
		63 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1												
						1				-				
														0
		2 2 2						10	×.					
1			•											
							•					2 2		
				2010-01-04							8		847	
		2					1							

Section C (Low Slope Roof) Fill in specific roof assembly components and identify manufacturer (If a component is not used, identify as "NA") System Manufacturer: Product Approval No.:	Surfacing: Fastener Spacing for Anchor/Base Sheet Attachment: Zone 1':" oc @ Lap, # Rows@" oc Zone 1:" oc @ Lap, # Rows@" oc Zone 2:" oc @ Lap, # Rows@" oc Zone 3:" oc @ Lap, # Rows@" oc
Design Wind Pressures, From RAS 128 Or Calculations:	Zone 1': Zone 1: Zone 2: Zone 3:
Zone 1':Zone 1:Zone 2:Zone 3: Max. Design Pressure, from the specific product approval system: Deck: Type: Gauge Thickness: Slope:	Illustrate Components Noted and Details as Applicable: Woodblocking, Gutter, Edge Termination, Stripping Flashing, Continuous Cleat, Cant Strip, Base Flashing Counterflashing, Coping, Etc. Indicate: Mean Roof Height, Parapet Height, Height of Base Flashing, Component Material, Material' Thickness, Fastener Type, Fastener Spacing or Submit Manufacturers Details that Comply with RAS 1 11 and Chapter 16.
Ancher/Dese Sheet & No. of Div(s):	
Anchor/Base Sheet & No. of Piy(s):	FT.
Insulation Base Layer:	Devenet
Base Insultation Size and Thickness:	Parapet
Base Insulation Fastener/Bonding Material:	Height
Top Insulation Layer:	
Top Insulation Size and Thickness:	FT.
Top Insulation Fastener/Bonding Material:	
Base Sheet(s) & No. of Ply(s):	Mean Roof
Base Sheet Fastener/Bonding Material:	Height
Ply Sheet Fastener/Bonding Material:	
Тор Рly:	
Top Ply Fastener/Bonding Material:	

Section D (Steep Slope Roof System)
Roof System Manufacturer:
Notice of Acceptance Number:
Minimum Design Wind Pressures If Applicable (From RAS 127 or Calculations):
Zone 1:Zone 2e:Zone 2n:Zone 2r:Zone 3e:Zone 3r:
Deck Type:
Roof Slope:
Insulation:
Fire Barrier:
Ridge Ventilation?
Adhesive Type:
Type Cap Sheet:
Mean Roof Height: Roof Covering:
Type & Size Drip Edge:

Section E (Tile Calculations)

For Moment based tile systems, choose either Method 1 or 2. Compare the values for M_r with the values from M_f. If the M_f values are greater than or equal to the M_r values, for each area of the roof, then the tile attachment method is acceptable. Method 1 'Moment Based Tile Calculations Per RAS 12T

	Method I Moment based the calculation	
(Zone 1:	$\underline{\qquad} \times \lambda \underline{\qquad} = \underline{\qquad}) - Mg; \underline{\qquad} = M_{r1} \underline{\qquad}$	Product Approval M
(Zone 2e:		Product Approval M _f
(Zone 2n:		Product Approval M _f
(Zone 2r:	× λ =) – Mg: _ = M _{r2r}	Product Approval M _f
(Zone 3e:		Product Approval M _f
(Zone 3r:	$ \times \lambda $ =) – Mg: = M _{r3r}	Product Approval M _f

Method 2 "Simplified Tile Calculations Per Table Below"

Required Moment of Resistance (Mr) From Table Below_____Product Approval Mr

Mr required Moment Resistance*							
Mean Roof Height Roof Slope	15'	20'	25'	30′	40'		
2:12	34.4	36.5	38.2	39.7	42.2		
3:12	32.2	34.4	36.0	37.4	39.8		
4:12	30.4	32.2	33.8	35.1	37.3		
5:12	28.4	30.1	31.6	32.8	34.9		
6:12	26.4	28.0	29.4	30.5	32.4		
7:12	24.4	25.9	27.1	28.2	30.0		

*Must be used in conjunction with a list of moment based tile systems

• For Uplift based tile systems use Method 3. Compare the values for F' with the values for Fr If the F' values are greater than or equal to the Fr values, for each area of the roof, then the tile attachment method is acceptable.

			Method 3 "Uplift Based Tile Calculations Per RAS 12T						
(Zone 1:	x L	=x W:=) -W:	cos r	=Fr1	_ Product Approval F'			
(Zone 2e:	x L	=x W:=) -W:	cos r	=Fr2e	Product Approval F'			
(Zone 2n:	x L	=x W:=) -W:	cos r	=F _{r2n}	_ Product Approval F'			
(Zone 2r:	x L	=x W:=) -W:	cos r	=Fr2r	Product Approval F'			
(Zone 3e:	x L	=x W:=) -W:	cos r	=Fr3e	_ Product Approval F'			
(Zone 3r:	x L	=x W:=) -W:	cos r	=F _{r3r}	Product Approval F'			

Where to Obtain Information							
Description	Symbol	Where to find					
Design Pressure	Zones 1, 2e, 2n, 2r, 3e, 3r	From applicable table in RAS 127 or by an engineering analysis prepared by PE based on ASCE 7					
Mean Roof Height	Н	Job Site					
Roof Slope	θ	Job Site					
Aerodynamic Multiplier	ډ	Product Approval					
Restoring Moment due to Gravity	Mg	Product Approval					
Attachment Resistance	M _f	Product Approval					
Required Moment Resistance	Mg	Calculated					
Minimum Attachment Resistance	F'	Product Approval					
Required Uplift Resistance	Fr	Calculated					
Average Tile Weight	W	Product Approval					
Tile Dimensions	L = length W = width	Product Approval					
All calculations must be submitted to	the building official at the time	of permit application.					